



October 16, 2008

Mr. David Steeb  
enXco -WA  
PO Box 4  
Woodinville, WA 98072

Re: Desert Claim Wind Project, 08-N-0248.WA.001 (A)

Dear Mr. Steeb:

Enclosed please find the list of proposed turbine locations along with lighting recommendations for each turbine in the Desert Claim Wind Project. This lighting plan was developed in compliance with the FAA Advisory Circular (AC) 70/7460-1K, Change 2 and on the basis of our discussions with FAA Regional offices regarding their current policy. However, final review by FAA could require some changes.

The lighting plan calls for the lighting of 41 out of 95 wind turbines, the equivalent of 43% overall. Please note any changes to the project may require the development of a new lighting plan.

Sincerely,

Jerry Chavkin  
Vice President, Airspace Operations

Enclosures: Wind Turbine List  
Map

**enXco**  
**08-N-0248.WA.001**  
**DESERT CLAIM WIND TURBINES**

Turbine ID	Longitude (NAD83)			Latitude (NAD83)			Recommended Marking/Lighting
1	-120	39	10.92	47	6	46.02	NONE
2	-120	38	55.33	47	6	44.50	NONE
3	-120	38	57.42	47	6	38.00	SFRL
4	-120	38	40.11	47	6	42.08	NONE
5	-120	38	9.70	47	6	47.16	SFRL
6	-120	37	44.76	47	6	46.77	SFRL
7	-120	37	33.56	47	6	57.46	NONE
8	-120	37	40.40	47	7	4.69	NONE
9	-120	39	12.16	47	6	53.46	SFRL
10	-120	38	51.81	47	6	51.04	SFRL
11	-120	38	33.60	47	6	48.75	SFRL
12	-120	38	20.89	47	6	59.31	NONE
13	-120	38	26.39	47	7	13.35	SFRL
14	-120	38	4.17	47	7	7.10	NONE
15	-120	37	59.91	47	6	59.39	NONE
16	-120	37	56.60	47	6	51.49	NONE
17	-120	38	9.46	47	7	27.94	SFRL
18	-120	38	22.91	47	7	40.46	NONE
19	-120	38	28.99	47	7	52.15	SFRL
20	-120	38	28.63	47	8	3.55	NONE
21	-120	38	21.75	47	8	14.16	SFRL
22	-120	38	23.38	47	8	26.60	NONE
23	-120	38	21.46	47	8	34.63	SFRL
24	-120	38	4.57	47	8	35.51	SFRL
25	-120	38	4.38	47	8	27.93	NONE
26	-120	38	5.77	47	8	17.04	NONE
27	-120	38	8.00	47	8	2.96	NONE
28	-120	38	6.29	47	7	49.19	NONE
29	-120	37	54.37	47	7	36.54	NONE
30	-120	37	40.18	47	8	35.14	SFRL
31	-120	37	47.39	47	8	29.78	NONE
32	-120	37	50.93	47	8	20.75	NONE
33	-120	37	48.25	47	8	9.36	SFRL
34	-120	37	23.61	47	8	8.39	SFRL
35	-120	37	34.04	47	8	2.23	NONE
36	-120	37	38.33	47	7	54.41	NONE
37	-120	37	39.56	47	7	45.95	NONE
38	-120	37	31.45	47	7	34.25	NONE
39	-120	37	43.41	47	7	23.58	NONE
40	-120	37	28.08	47	7	23.55	SFRL
41	-120	37	17.64	47	7	36.26	NONE
42	-120	37	8.60	47	7	58.91	SFRL
43	-120	37	9.54	47	7	49.70	NONE
44	-120	37	3.98	47	7	41.26	NONE
45	-120	36	59.72	47	7	28.18	NONE
46	-120	37	14.65	47	7	4.22	SFRL
47	-120	37	13.96	47	6	56.27	NONE
48	-120	37	8.54	47	6	49.16	NONE
49	-120	37	10.85	47	6	42.11	NONE
50	-120	37	4.50	47	6	33.57	SFRL

**enXco**  
**08-N-0248.WA.001**  
**DESERT CLAIM WIND TURBINES**

Turbine ID	Longitude (NAD83)			Latitude (NAD83)			Recommended Marking/Lighting
51	-120	36	53.76	47	6	58.02	NONE
52	-120	36	44.10	47	6	45.93	NONE
53	-120	36	48.79	47	6	33.46	NONE
54	-120	36	43.31	47	6	23.27	SFRL
55	-120	36	40.56	47	6	38.08	SFRL
56	-120	36	30.84	47	6	51.74	SFRL
57	-120	36	39.82	47	7	27.54	SFRL
58	-120	36	38.28	47	7	37.38	NONE
59	-120	36	34.45	47	7	55.16	SFRL
60	-120	36	29.24	47	7	44.29	NONE
61	-120	36	15.58	47	7	35.55	NONE
62	-120	36	10.72	47	7	24.43	SFRL
63	-120	35	53.33	47	7	28.02	SFRL
64	-120	36	5.31	47	7	38.19	NONE
65	-120	36	10.14	47	7	48.85	NONE
66	-120	36	18.89	47	8	7.50	SFRL
67	-120	36	0.74	47	8	0.54	NONE
68	-120	35	57.14	47	8	10.96	SFRL
69	-120	35	48.79	47	8	26.23	SFRL
70	-120	35	44.81	47	9	0.14	SFRL
71	-120	35	57.41	47	8	55.48	SFRL
72	-120	35	47.77	47	8	40.74	NONE
73	-120	35	23.11	47	8	38.04	NONE
74	-120	35	35.75	47	8	30.27	NONE
75	-120	35	34.15	47	8	17.41	NONE
76	-120	35	40.89	47	8	2.75	NONE
77	-120	35	28.55	47	7	23.71	SFRL
78	-120	35	39.61	47	7	32.30	NONE
79	-120	35	42.50	47	7	39.62	NONE
80	-120	35	36.34	47	7	49.01	NONE
81	-120	35	15.26	47	8	3.70	SFRL
82	-120	35	15.35	47	8	23.75	SFRL
83	-120	35	11.16	47	8	38.50	SFRL
84	-120	35	5.89	47	7	48.37	SFRL
85	-120	35	15.66	47	7	42.13	NONE
86	-120	35	16.70	47	7	34.99	NONE
87	-120	35	12.71	47	7	25.51	SFRL
88	-120	34	27.52	47	7	47.63	SFRL
89	-120	34	33.41	47	7	40.11	NONE
90	-120	34	37.96	47	7	31.91	NONE
91	-120	34	42.58	47	7	23.23	SFRL
92	-120	34	37.41	47	7	6.53	SFRL
93	-120	34	37.67	47	6	56.65	NONE
94	-120	34	28.39	47	6	47.77	SFRL
95	-120	34	22.92	47	6	55.40	NONE

SFRL - Simultaneously Flashing Red Lights  
NONE - Unlit/White Paint Only.  
All Turbine Structures are White.